

Radix Sort (기수 정렬)

데이터 길이가 같을 때 사용 가능.

[Algorithm](#), [Sort](#)

정수

```
public static int[] radixSort(int[] arr, int maxLen) {
    int bucketNum = 10;

    int divFactor = 1;

    Queue<Integer>[] buckets = new LinkedList[bucketNum];
    for (int j = 0; j < buckets.length; j++)
        buckets[j] = new LinkedList(); // Queue 생성

    for (int i = 0; i < maxLen; i++) {
        for (int digitIndex = 0; digitIndex < arr.length; digitIndex++)
        {
            // N번째 자리 숫자 추출
            int radix = (arr[digitIndex] / divFactor) % 10;

            buckets[radix].offer(arr[digitIndex]);
        }

        int pos = 0;
        for (int bucketIndex = 0; bucketIndex < bucketNum;
bucketIndex++) {
            while (!buckets[bucketIndex].isEmpty()) {
                arr[pos] = buckets[bucketIndex].poll();
                pos++;
            }
        }

        divFactor *= 10;
    }
    return arr;
}
```

문자열

```
public static String[] radixSort(String[] arr, int maxLen) {
    int bucketNum = 'z' - 'a' + 1; //문자열 비교
```

```
int charIndex = maxLen - 1; //최대길이 5이면 index 4부터 접근.
Queue<String>[] buckets = new LinkedList[bucketNum];
for (int j = 0; j < buckets.length; j++)
    buckets[j] = new LinkedList(); // Queue 생성

for (int i = 0; i < maxLen; i++) {

    for (int digitIndex = 0; digitIndex < arr.length; digitIndex++)
    {
        try {
            //소문자로 변환후 비교
            String str = arr[digitIndex].toLowerCase();

            if(str.length() != maxLen) {
                throw new Exception "[" + digitIndex + "] 문자열 길이가 최대 길이와 일치하지 않습니다.");
            }
            int radix = str.charAt(charIndex) - 'a';
            if(radix < 0 || radix > 'z' - 'a') {
                throw new Exception "[" + digitIndex + "] 알파벳이 아닌 문자가 포함되어 있습니다.");
            }
            buckets[radix].offer(arr[digitIndex]);
        } catch (Exception e) {
            System.err.println(e.getMessage());
            return null;
        }
    }

    int pos = 0;
    for (int bucketIndex = 0; bucketIndex < bucketNum; bucketIndex++) {
        while (!buckets[bucketIndex].isEmpty()) {
            arr[pos] = buckets[bucketIndex].poll();
            pos++;
        }
    }

    charIndex--;
}
return arr;
}
```

From:
<http://wiki.ledyx.xyz/> - Ledyx WIKI

Permanent link:
http://wiki.ledyx.xyz/doku.php?id=algorithm:radix_sort&rev=1465304573

Last update: **2021/02/07 03:15**



